


is one of the following formulae:



R^2 is carboxy or hydroxyaminocarbonyl,

m and n are each an integer of 0 or 1, and $m+n=1$,

R^1 is halogen; heterocyclic group selected from the group consisting of

pyridyl, thienyl, furyl, benzofuranyl or benzothienyl, wherein the heterocyclic group is optionally substituted by a group selected from the group consisting of lower alkanoyl, lower alkyl, lower alkoxy, lower alkoxy-carbonylamino and lower alkyl-carbamoyl; naphthyl or phenyl optionally substituted by a group selected from the group consisting of the following (C1) to (C31);

(C1) halogen,

(C2) lower alkyl,

(C3) lower alkoxy,

(C4) halo(lower)alkyl,

(C5) halo(lower)alkoxy,

(C6) lower alkenyl,

(C7) lower alkyl-carbamoyl, carbamoyl, phenyl(lower)alkyl-carbamoyl, lower alkanoyl,


- (C8) lower alkylthio, lower alkylsulfinyl, lower alkylsulfonyl,
- (C9) phenyl, naphthyl,
- (C10) halophenyl,
- (C11) hydroxy,
- (C12) mono- or dihydroxy(lower)alkyl, phenoxycarbonyloxy(lower)alkyl
- (C13) amino,
- (C14) carboxy,
- (C15) lower alkylenedioxy,
- (C16) lower alkanoylamino,
 - phenyl(lower)alkanoylamino, halophenyl(lower)alkanoylamino, lower alkoxy(lower)alkanoylamino,
 - phenoxy(lower)alkanoylamino, lower alkoxyphenoxy(lower)alkanoylamino, lower alkylphenoxy(lower)alkanoylamino, halophenoxy(lower)alkanoylamino, carboxy(lower)alkanoylamino, lower alkoxycarbonyl(lower)alkanoylamino,
 - lower alkylcarbamoyl(lower)alkanoylamino, halo(lower)alkanoylamino,
 - lower alkenyl(lower)alkanoylamino,
 - lower alkoxy(lower)alkanoylamino,
 - phenyl(lower)alkoxy(lower)alkanoylamino,
 - piperidinyloxy(lower)alkanoylamino, N-lower alkoxy carbonylpiperidinyloxy(lower)alkanoylamino,
 - pyridyloxy(lower)alkanoylamino,
 - hydroxy(lower)alkanoylamino,
 - lower alkanoyloxy(lower)alkanoylamino,
 - lower alkylcarbamoyloxy(lower)alkanoylamino, N,N-di(lower alkyl)carbamoyloxy,
 - piperidino-carbonyloxy(lower)alkanoylamino,
 - phenyl(lower)alkylcarbamoyloxy(lower)alkanoylamino, lower alkoxy carbonylamino(lower)alkanoylamino,
 - amino(lower)alkanoylamino, fluorenylmethoxycarbonylamino(lower)-

alkanoylamino,
 lower alkylamino(lower)alkanoylamino, [N,N-di(lower
 alkyl)amino](lower)alkanoylamino,
 [N-lower alkyl-N-(lower alkoxycarbonyl)-amino](lower)alkanoylamino,
 [N-lower alkyl-N-(fluorenylmethoxycarbonyl)amino]-
 (lower)alkanoylamino,
 [N-lower alkyl-N-(mono- or di(lower)-
 alkylcarbamoyl)amino](lower)alkanoylamino,
 [N-(mono- or di(lower alkyl)carbamoyl)amino](lower)alkanoylamino,
 benzoylamino(lower)alkanoylamino, lower
 alkanoylamino(lower)alkanoylamino, lower
 alkanesulfonylamino(lower)alkanoylamino,
 lower alkoxy(lower)alkanoylamino(lower)alkanoylamino,
 cyclo(lower)alkyloxycarbonylamino-(lower)alkanoylamino,
 pyridylcarbonylamino(lower)alkanoylamino,
 morpholinocarbonylamino(lower)alkanoylamino,
 phenyl(lower)alkoxyoxycarbonylamino(lower)alkanoylamino,
 lower alkoxyphenylsulfonylamino(lower)alkanoylamino,
 hydroxy(lower)alkylamino(lower)alkanoylamino,
 morpholino(lower)alkanoylamino,
 oxooxazolidinyl(lower)alkanoylamino,
 oxopyrrolidinyl(lower)alkanoylamino,
 trimethylhydantoinyl(lower)alkanoylamino,
 lower alkenylamino(lower)alkanoylamino,
 lower alkoxy(lower)alkylamino(lower)alkanoylamino,
 phenyl(lower)alkylamino(lower)alkanoylamino,
 pyridyl(lower)alkylamino(lower)alkanoylamino,
 lower alkoxycarbonylamino, phenyl(lower)alkoxycarbonylamino,
 lower alkoxy(lower)alkoxycarbonylamino,
 halo(lower)alkoxycarbonylamino,
 amino(lower)alkoxycarbonylamino,
 phthalimido(lower)alkoxycarbonylamino,
 carbamoylamino,


- (mono- or di(lower alkyl)carbamoylamino,
- naphthylcarbamoylamino,
- halophenylcarbamoylamino,
- lower alkoxyphenylcarbamoylamino,
- lower alkenylcarbamoylamino,
- cyclo(lower)alkyl(lower)alkylcarbamoylamino,
- phenyl(lower)alkylcarbamoylamino,
- halo(lower)alkylcarbamoylamino,
- lower alkoxy(lower)alkylcarbamoylamino,
- hydroxy(lower)alkylcarbamoylamino, (lower alkyl)(diphenyl)silyloxy(lower)alkylcarbamoylamino,
- carboxy(lower)alkylcarbamoylamino, lower alkoxycarbonyl(lower)alkylcarbamoylamino,
- lower alkylcarbamoyl(lower)alkylcarbamoylamino, or pyridylcarbamoylamino,
- lower alkylsulfonylamino,
- lower alkenoylamino,
- lower cycloalkanecarbonylamino,
- lower alkenyloxycarbonylamino,
- phenoxycarbonylamino,
- lower alkylthiocarbonylamino,
- (C17) phenyl(lower)alkoxy,
- (C18) lower alkenyl, mono- or di(lower alkyl)carbamoyl(lower)alkenyl, (2-(methylcarbamoyl)ethenyl, 2-(ethylcarbamoyl)ethenyl, 2-(propylcarbamoyl)ethenyl, 2-(isopropylcarbamoyl)ethenyl, 2-(dimethylcarbamoyl)ethenyl,) phenylcarbamoyl(lower)alkenyl, lower alkoxycarbamoyl(lower)alkenyl, halophenylcarbamoyl(lower)alkenyl,
- (C19) lower alkylaminocarbonyloxy,
- (C20) lower alkanoyloxy,
- (C21) lower alkoxy(lower)alkanoyloxy,
- (C22) lower alkoxycarbonyloxy,

- (C23) pyridyl(lower)alkenoyloxy
- (C24) lower cycloalkanecarbonyloxy,
- (C25) carboxy(lower)alkoxy,
 lower alkoxy carbonyl(lower)alkoxy,
 lower alkanoyl(lower)alkoxy,
 lower cycloalkanecarbamoyl(lower)alkoxy,
 lower alkylcarbamoyl(lower)alkoxy,
- (C26) lower alkylcarbamoyloxy(lower)alkyl,
- (C27) lower alkoxy carbonylamino(lower)alkyl,
- (C28) amino(lower)alkyl,
- (C29) lower alkylcarbamoyl(lower)alkyl,
- (C30) furylcarbonylamino, teretahydroisoquinolylcarbonylamino, N-lower
 alkoxy carbonyl-teretahydroisoquinolylcarbonylamino,
 pyrrolidinylcarbonylamino,
- (C31) oxazolyl, lower alkyloxadiazolyl.


33. (New) The compound of claim 32, in which
 a group of the formula:



is one of the following formulae:




R^2 is hydroxyaminocarbonyl,
 m is 0 and n is 1,



a group of the formula:

is a group selected from the group of the following formulae (a) to (e);


(a)



wherein

R¹¹ is halo, naphthyl, phenyl, mono- or dihalophenyl, mono- or di(lower)alkylphenyl, lower alkoxyphenyl, trihalo(lower)alkylphenyl, trihalo(lower)alkoxyphenyl, lower alkenylphenyl, lower alkylcarbamoylphenyl, carbamoylphenyl, phenyl(lower)alkylcarbamoylphenyl, lower alkanoylphenyl, lower alkylthiophenyl, lower alkylsulfinylphenyl, lower alkylsulfonylphenyl, phenylphenyl, (halo)(phenyl)phenyl, halophenylphenyl, hydroxyphenyl, mono- or dihydroxy(lower)alkylphenyl, phenoxycarbonyloxy(lower)alkylphenyl, aminophenyl, carboxyphenyl, lower alkylendioxyphenyl, lower alkanesulfonylaminophenyl, lower alkenoylaminophenyl, lower cycloalkanecarbonylaminophenyl, phenyl(lower)alkoxyphenyl, mono- or di(lower)alkyl)carbamoyl(lower)alkenylphenyl, phenylcarbamoyl(lower)alkenylphenyl, lower alkoxy-carbamoyl(lower)alkenylphenyl, halophenylcarbamoyl(lower)alkenylphenyl, lower alkylcarbamoyloxyphenyl, lower alkanoyloxyphenyl, lower alkoxy(lower)alkanoyloxyphenyl, lower alkoxy-carbonyloxyphenyl, pyridyl(lower)alkenoyloxyphenyl, cyclo(lower)alkylcarbonyloxyphenyl, carboxy(lower)alkoxyphenyl, lower alkoxy-carbonyl(lower)alkoxyphenyl, lower alkanoyl(lower)alkoxyphenyl, lower cycloalkanecarbamoyl(lower)alkoxyphenyl, lower alkylcarbamoyl(lower)alkoxyphenyl, lower alkylcarbamoyloxy(lower)alkylphenyl, lower alkoxy-carbonylamino(lower)alkylphenyl, amino(lower)alkylphenyl, lower alkylcarbamoyl(lower)alkylphenyl, furylcarbonylaminophenyl, 1,2,3,4-teretahydroisoquinolylcarbonylaminophenyl, N-t-butoxycarbonyl, 1,2,3,4-teretahydroisoquinolylcarbonylaminophenyl, pyrrolidinylcarbonylaminophenyl, oxazolylphenyl, lower alkylloxadiazolylphenyl.


(b)



wherein

R^{12} is lower alkyl optionally substituted by a group selected from the group consisting of phenyl, halophenyl, lower alkoxyphenyl, lower alkoxy, phenoxy, lower alkoxyphenoxy, halophenoxy, lower alkylphenoxy, carboxy, lower alkoxycarbonyl, lower alkylcarbamoyl, halo, lower alkenyloxy, lower alkoxy(lower)alkoxy, phenyl(lower)alkoxy, piperidinyloxy, N-lower alkoxycarbonyl-piperidinyloxy, pyridyloxy, hydroxy, lower alkanoyloxy, mono- or di(lower)alkylcarbamoyloxy, piperidinylcarbonyloxy, phenyl(lower)alkylcarbamoyloxy, lower alkoxycarbonylamino, amino, fluorenylmethoxycarbonylamino, mono- or di(lower)alkylamino, N-lower alkyl-N-(lower alkoxycarbonyl)amino, N-lower alkyl-N-(fluorenylmethoxycarbonyl)amino, N-lower alkyl-N-(mono- or di(lower)alkylcarbamoyl)amino, N-(mono- or di(lower)alkyl)carbamoyl)amino, benzoylamino, lower alkanoylamino, lower alkanesulfonylamino, lower alkoxy(lower)alkanoylamino, cyclo(lower)alkyloxycarbonylamino, pyridylcarbonylamino, morpholinocarbonylamino, phenyl(lower)alkoxycarbonylamino, lower alkoxyphenylsulfonylamino, hydroxy(lower)alkylamino, morpholino, oxooxazolidinyl, oxopyrrolidinyl, trimethylhydantoinyl, pyridyl, lower alkenylamino, lower alkoxy(lower)alkylamino, phenyl(lower)alkylamino, pyridyl(lower)alkylamino, and cyclo(lower)alkyl,

(c)



wherein

M is oxygen or sulfur,


R¹³ is lower alkyl, phenyl(lower)alkyl,

lower alkoxy(lower)alkyl, halo(lower)alkyl, amino(lower)alkyl, or

phthalimido(lower)alkoxycarbonylamino,

lower alkenyl, phenyl,

(d)



wherein

R¹⁵ is hydrogen or lower alkyl,

R¹⁴ is hydrogen, lower alkyl, naphthyl, halophenyl, lower alkoxyphenyl, lower alkenyl,


lower cycloalyl(lower)alkyl, phenyl(lower)alkyl, halo(lower)alkyl, lower

alkoxy(lower)alkyl, hydroxy(lower)alkyl, (lower

alkyl)(diphenyl)silyloxy(lower)alkyl, carboxy(lower)alkyl, lower

alkoxycarbonyl(lower)alkyl, lower alkylcarbamoyl(lower)alkyl, or pyridyl,

(e)




wherein

R¹⁶ is benzothienyl, benzofuranyl, thienyl, furyl, lower alkylpyridyl, pyridyl, lower

alkoxy pyridyl, lower alkoxycarbonylaminopyridyl, lower alkanoylthienyl, lower

alkylcarbamoylbenzofuranyl.


34. (New) The compound of claim 33, wherein



a group of the formula:

is the same group as (a), (c), (d) and (e) of claim 7, and the following formula (b):

(b)




wherein

R^{12} is lower alkyl, phenyl(lower)alkyl, halophenyl(lower)alkyl, lower alkoxyphenyl(lower)alkyl, lower alkoxy(lower)alkyl, phenoxy(lower)alkyl, lower alkoxyphenoxy(lower)alkyl, halophenoxy(lower)alkyl, lower alkylphenoxy(lower)alkyl, carboxy(lower)alkyl, lower alkoxycarbonyl(lower)alkyl, lower alkylcarbamoyl(lower)alkyl, halo(lower)alkyl, lower alkenyloxy(lower)alkyl, lower alkoxy(lower)alkoxy(lower)alkyl, phenyl(lower)alkoxy(lower)alkyl, piperidinyloxy(lower)alkyl, N-t-butoxycarbonylpiperidinyloxy(lower)alkyl, pyridyloxy(lower)alkyl, hydroxy(lower)alkyl, lower alkanoyloxy(lower)alkyl, mono- or di(lower)alkylcarbamoyloxy(lower)alkyl, piperidinyloxy(lower)alkyl, phenyl(lower)alkylcarbamoyloxy(lower)alkyl, lower alkoxycarbonylamino(lower)alkyl, amino(lower)alkyl, fluorenylmethoxycarbonylamino(lower)alkyl, mono- or di(lower)alkylamino(lower)alkyl, N-lower alkyl-N-(lower alkoxycarbonyl)amino(lower)alkyl, N-lower alkyl-N-(fluorenylmethoxycarbonyl)amino(lower)alkyl, N-lower alkyl-N-(mono- or di(lower)alkylcarbamoyl)amino(lower)alkyl, N-(mono- or di(lower)alkyl)carbamoyl-amino(lower)alkyl, benzoylamino(lower)alkyl, lower alkanoylamino(lower)alkyl, lower alkanesulfonylamino(lower)alkyl,

lower alkoxy(lower)alkanoylamino(lower)alkyl,
 cyclo(lower)alkyloxycarbonylamino(lower)alkyl,
 pyridylcarbonylamino(lower)alkyl, morpholinocarbonylamino(lower)alkyl,
 phenyl(lower)alkoxyoxycarbonylamino(lower)alkyl,
 lower alkoxyphenylsulfonylamino(lower)alkyl,
 hydroxy(lower)alkylamino(lower)alkyl, morpholino(lower)alkyl,
 oxooxazolidinyl(lower)alkyl, oxopyrrolidinyl(lower)alkyl,
 trimethylhydantoinyl(lower)alkyl, pyridyl(lower)alkyl, lower
 alkenylamino(lower)alkyl, lower alkoxy(lower)alkylamino(lower)alkyl,
 phenyl(lower)alkylamino(lower)alkyl, pyridyl(lower)alkylamino(lower)alkyl,
 cyclo(lower)alkyl, (amino)(phenyl)(lower)alkylamino, (lower
 alkoxy(phenylamino)(lower)alkyl, (amino)(lower alkoxy)(lower)alkyl,
 (lower alkoxy(phenylamino)(lower)alkyl, (amino)(carboxy)-
 (lower)alkyl, (lower alkoxy(phenylamino)(carboxy)(lower)alkyl, (amino)(lower
 alkoxy(phenylamino)(lower)alkyl, (lower alkoxy(phenylamino)(lower
 alkoxy(phenylamino)(lower)alkyl, (amino)(phenyl(lower)alkoxy)(lower)alkyl, (lower
 alkoxy(phenylamino)(lower)alkyl, (amino)(phenyl(lower)alkoxy)(lower)alkyl, (amino)(pyridyl)-
 (lower)alkyl,
 (lower alkoxy(phenylamino)(pyridyl)(lower)alkyl, (amino)(hydroxy)(lower)alkyl,
 (lower alkoxy(phenylamino)(hydroxy)(lower)alkyl, (amino)(amino)(lower)alkyl,
 (lower alkoxy(phenylamino)(amino)(lower)alkyl, (amino)(lower
 alkoxy(phenylamino)(lower)alkyl, (lower alkoxy(phenylamino)(lower
 alkoxy(phenylamino)(lower)alkyl,
 (amino)(lower cycloalkane)(lower)alkyl,
 (lower alkoxy(phenylamino)(lower cycloalkane)(lower)alkyl.


35. (New) The compound of claim 33, in which

a group of the formula:



is a group selected from the group of the following formula (a) to (e):

(a)



wherein

R¹¹ is bromo, 2-naphthyl, phenyl,

3(or 4)-chlorophenyl, 2(or 3 or 4)-fluorophenyl, 3,4-dichlorophenyl, 3,5-difluorophenyl,

3(or 4)-methylphenyl, 4-ethylphenyl,

4-isopropylphenyl, 4-(t-butyl)phenyl,

3,4-dimethylphenyl, 4-methoxyphenyl,

4-ethoxyphenyl, 4-trifluoromethylphenyl,

4-trifluoromethoxyphenyl, 4-ethenylphenyl,

4-methylcarbamoylphenyl, 4-ethylcarbamoylphenyl, 4-carbamoylphenyl, 4-benzylcarbamoylphenyl,

4-acetylphenyl, 4-methylthiophenyl,

4-ethylthiophenyl, 4-methylsulfinylphenyl,

4-methylsulfonylphenyl, phenylphenyl, 4-phenyl-3-fluorophenyl, 4-(4-fluorophenyl)phenyl, 3(or 4)-hydroxyphenyl, 3(or 4)-hydroxymethylphenyl,

4-(1,2-dihydroxyethyl)phenyl,

4-(phenoxycarbonyloxymethyl)phenyl, 3(or 4)-aminophenyl, 4-carboxyphenyl,

3,4-methylenedioxyphenyl,

4-(methanesulfonylamino)phenyl,

3-(2-butenoylamino)phenyl,

3-(cyclopropanecarbonylamino)phenyl,

3-(cyclobutanecarbonylamino)phenyl,

3-(cyclopentanecarbonylamino)phenyl,

4-benzyloxyphenyl,

4-(2-(methylcarbamoyl)ethenyl)phenyl,


4-(2-(ethylcarbamoyl)ethenyl)phenyl,

4-(2-(propylcarbamoyl)ethenyl)phenyl,

4-(2-(isopropylcarbamoyl)ethenyl)phenyl,

4-2-(dimethylcarbamoyl)ethenyl)phenyl,
 4-(2-(phenylcarbamoyl)ethenyl)phenyl,
 4-(2-(methoxyphenylcarbamoyl)ethenyl)phenyl,
 4-(2-(4-fluorophenylcarbamoyl)ethenyl)phenyl,
 4-(methylaminocarbonyloxy)phenyl,
 4-(ethylaminocarbonyloxy)phenyl,
 4-propanoyloxyphenyl, 4-(methoxyacetyloxy)phenyl, 4-
 (ethoxycarbonyloxy)phenyl,
 4-(3-(3-pyridyl)acryloyloxy)phenyl,
 4-(cyclopropylcarbonyloxy)phenyl,
 4-(carboxymethoxy)phenyl,
 4-(ethoxycarbonylmethoxy)phenyl,
 4-(t-butoxycarbonylmethoxy)phenyl,
 4-(propanoylmethoxy)phenyl,
 4-(cyclopropylcarbamoylmethoxy)phenyl,
 3(or 4)-(methylcarbamoylmethoxy)phenyl,
 4-(ethylcarbamoylmethoxy)phenyl,
 4-(propylcarbamoylmethoxy)phenyl,
 3(or 4)-(methylcarbamoyloxymethyl)phenyl,
 4-(methoxycarbonylaminomethyl)phenyl,
 4-(t-butoxycarbonylaminomethyl)phenyl,
 4-aminomethylphenyl,
 4-(methylcarbamoylmethyl)phenyl,
 3-(2(or 3)-furylcarbonylamino)phenyl, 3-(1,2,3,4-
 teretahydroisoquinolylcarbonylamino)phenyl,
 3-(N-(t-butoxycarbonyl)-1,2,3,4-teretahydroisoquinolylcarbonylamino)phenyl,
 3-(pyrrolidinylcarbonylamino)phenyl,
 4-(1,3-oxazolyl)phenyl,
 4-(5-methyl-1,2,4-oxadiazol-3-yl)phenyl,

(b)




wherein

R¹² is methyl, ethyl, propyl, isopropyl, butyl, isobutyl, t-butyl, neopentyl, phenylmethyl, 4-chlorophenylmethyl, 4-methoxyphenylmethyl, methoxymethyl, ethoxymethyl, propoxymethyl, butoxymethyl, isopropylloxymethyl, 1-methoxyethyl, 2-methoxyethyl, phenoxymethyl, 2-phenoxyethyl, 3(or 4)-methoxyphenoxymethyl, 4-fluoro(or chloro)phenoxymethyl, 3(or 4)-methylphenoxymethyl, 2-carboxyethyl, 2-methoxycarbonylethyl, 2-t-butoxycarbonylethyl, 2-methylcarbamoylethyl, 2-chloroethyl, chloromethyl, allyloxymethyl, (2-ethoxyethoxy)methyl, benzyloxymethyl, 4-piperidinyloxymethyl, (N-t-butoxycarbonyl-4-piperidinyl)oxymethyl, 3(or 4)-pyridyloxymethyl, hydroxymethyl, 2-hydroxyethyl, acetoxymethyl, 1-acetoxyethyl, methylcarbamoyleloxymethyl, 1-(N-methyl-N-ethylcarbamoyleoxy)methyl, (piperidino-carbonyloxy)methyl, (benzylcarbamoyleoxy)methyl, (t-butoxycarbonylamino)methyl, aminomethyl, 1-aminoethyl, 1-(t-butoxycarbonylamino)ethyl, 2-aminoethyl, methoxycarbonylaminomethyl, 2-(methoxycarbonylamino)ethyl, ethoxycarbonylaminomethyl, propoxycarbonylaminomethyl, 1-(fluorenylmethoxycarbonylamino)methyl, 2-(t-butoxycarbonylamino)ethyl, 2-(fluorenylmethoxycarbonylamino)ethyl, 1-aminoisopropyl, 1-aminopropyl, 1-(t-butoxycarbonylamino)propyl, 1-(t-butoxycarbonylamino)isopropyl, 1,5-diaminopentyl, 1,5-bis(t-butoxycarbonylamino)-pentyl, methylaminomethyl, ethylaminomethyl, (N-methyl-N-ethylamino)methyl, dimethylaminomethyl, pentylaminomethyl,

t-butylaminomethyl, methylaminoethyl,
3-(2-(N-methyl-N-methoxycarbonylamino)methyl,
1-(N-methyl-N-t-butoxycarbonylamino)methyl,
1-(N-ethyl-N-t-butoxycarbonylamino)methyl,
2-(N-methyl-N-(fluorenylmethoxycarbonyl)amino)-
ethyl, 2-(N-methyl-N-(t-butoxycarbonyl)amino)ethyl, 1-(N-methyl-N-
(dimethylcarbamoyl)amino)methyl,
1-(dimethylcarbamoylamino)methyl,
1-(N-(ethylcarbamoyl)amino)methyl,
2-(N-(ethylcarbamoyl)amino)ethyl, benzylaminomethyl, 2-
benzylaminoethyl, acetylaminomethyl, isobutylaminomethyl,
pivaloylaminomethyl,
1-(methanesulfonylamino)methyl,
2-(methanesulfonylamino)ethyl, methoxyacetylaminomethyl,
cyclopentylloxycarbonylaminoethyl,
pyridylcarbonylaminoethyl, morpholinocarbonylaminoethyl,
benzyloxycarbonylaminoethyl,
1-(4-methoxyphenylsulfonylamino)methyl,
1-(2-hydroxyethylamino)methyl,
morpholinomethyl, 1-(2-oxo-1,3-oxazolidin-1-yl)methyl, 1-(2-oxopyrrolidin-1-
yl)methyl,
1-(3,4,4-trimethylhydantoin-1-yl)methyl, allylaminomethyl, 1-(2-
ethoxyethylamino)methyl,
benzylaminomethyl, 1-(3-pyridylmethylamino)methyl,
2-phenyl-1-aminoethyl, 1-amino-1-phenylmethyl,
1-t-butoxycarbonylamino-1-phenylmethyl,
1-amino-2-phenylethyl, 1-t-butoxycarbonylamino-2-phenylethyl, 1-amino-2-
methoxyethyl,
1-t-butoxycarbonylamino-2-methoxyethyl, 1-amino-3-carboxypropyl, 1-t-
butoxycarbonylamino-3-carboxypropyl, 1-amino-3-(t-butoxycarbonyl)propyl,
1-t-butoxycarbonylamino-3-t-butoxycarbonylpropyl, etc.), 1-amino-2-
benzyloxyethyl,
1-t-butoxycarbonylamino-2-benzyloxyaminoethyl,

1-amino-2-(3-pyridyl)ethyl, 1-t-butoxycarbonylamino-2-(3-pyridyl)ethyl, 1-amino-2-(4-pyridyl)ethyl, 1-t-butoxycarbonylamino-2-(4-pyridyl)ethyl, 1-amino-2-hydroxyethyl, 1-t-butoxycarbonylamino-2-hydroxyethyl, (1,5-diaminopentyl, 1-t-butoxycarbonylamino-5-aminopentyl, 1,5-bis(t-butoxycarbonylamino)pentyl, 1-amino-5-(t-butoxycarbonylamino)pentyl, 1-amino-2-cyclohexylethyl, 1-t-butoxycarbonylamino-2-cyclohexylethyl,


(c)



wherein

M=O and R¹³ is methyl, ethyl, propyl, isopropyl, benzyl, 2-methoxyethyl, 2-chloroethyl, 2-aminoethyl, 2-phthalimidoethyl, allyl, phenyl, or
M=S and R¹³ is methyl, ethyl,

(d)




wherein

R¹⁵ is hydrogen and

R¹⁴ is hydrogen, methyl, ethyl, propyl, isopropyl, butyl, isobutyl, pentyl, hexyl, 1-naphthyl, 3(or 4)-chlorophenyl, 3-methoxyphenyl, allyl, cyclohexylmethyl, benzyl, 2-chloroethyl, methoxymethyl, 2-methoxyethyl, 2-hydroxyethyl, 2-((t-butyl)(diphenyl)silyloxy)ethyl, carboxymethyl, ethoxycarbonylmethyl, methylcarbamoylemethyl, or 3-pyridyl,
R¹⁴ is ethyl and R¹⁵ is methyl,

(e)



wherein

R¹⁶ is 2-benzothienyl, 2-benzofuranyl, 2(or 3)-thienyl,
2-furyl, 3-pyridyl, 1-methyl-4-pyridyl, 6-methyl-3-pyridyl, 6-methoxy-3-pyridyl,
5-methoxycarbonylamino-3-pyridyl, 5-acetyl-2-thienyl, 2-methylcarbamoyl-5-
benzofuranyl.

SUPPORT FOR THE AMENDMENTS

Support for the amendment of the claims can be found in original claims 6-9. Applicants have rewritten original claims 6-9 as new claims 32-35 to correct minor clerical errors in claims 6-9. No new matter would be added to this application by entry of this amendment. Upon entry of this amendment, claims 1-5, 10-15, and 18-35 will be active in this application.

Applicants submit that this application is now in condition for allowance and early notification of such action is earnestly solicited.

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Norman F. Oblon
Attorney of Record
Registration No. 24, 618

Richard L. Chinn, Ph.D.
Registration No. 34, 305

John Dellinger
Registration No. 50, 436



22850

Tel.: (703) 413-3000
Fax: (703) 413-2220

NFO:RLC:JDD